



FOX FURY[®]
LIGHTING SOLUTIONS

CORDLESS • RECHARGEABLE • WATERPROOF

TABLE OF CONTENTS

| | |
|--------------------------------|---------|
| TESTIMONIALS | 1 |
| NOMAD® SCENE LIGHTS | 2 - 5 |
| PRODUCTION LIGHTS | 6 - 9 |
| HEADLAMPS & HELMET LIGHTS | 10 - 13 |
| RIGHT ANGLE & UTILITY LIGHTS | 14 - 17 |
| SHIELD LIGHTS | 18 - 21 |
| RUGO™ DRONE & CAMERA LIGHT | 22 - 25 |
| D10, D3060 & D100 DRONE LIGHTS | 26-31 |

ABOUT US

At FoxFury Lighting Solutions, we create premium lighting tools that shine brightly in the most extreme environments to keep people safe.

Our Xtremium™ products focus on durability and speed, providing unique solutions and possibilities for first responders, enterprise professionals, and videographers in over 65 countries. There is no second chance when it comes to getting the correct lighting.

When seconds count, depend on FoxFury Lighting Solutions.

WE EXIST TO KEEP PEOPLE SAFE



“This helmet light puts out a ton of light! I love the c-clamp and versatility! Durability is also great as my helmet fell off the fire truck and the c-clamp took the brunt of it, with the light itself being unscathed.”

- Braxton, Firefighter, OH

“I have used this light for over 10 years. It has performed flawlessly! I have used it on house fires, searches, night rescues, vehicle accidents, and medical calls. With 3 different light settings, you always had the correct amount of light. Thanks FoxFury for a great product!”

- Jason K., Firefighter, CA

“FoxFury has one of the best lighting systems for sUAS/Drones on the market. They design the saddle to fit the aircraft so the lights can be attached. Their system can hold 3 strobes at the same time, one on top, the other two on the side. The strobes are some of the brightest have have seen. The lights can work as a spotlight or strobe light. You won't be disappointed.”

- Doug Daniels, UAS Operator, NC



NOMAD® SCENE LIGHTS



CORDLESS • RECHARGEABLE • WATERPROOF



NOMAD® NOW
3,300 LUMENS

Most compact and versatile scene light

FEATURES

- ❖ Collapsible easy carry handle
- ❖ Mounts to magnet (included) and tripod
- ❖ Remote activation (included)
- ❖ Rechargeable Li-Ion Battery System
- ❖ 8.7 in (221 mm) tall and 4.5 lbs (2 kg)

Nomad® NOW Scene Light: Multi-Activation (200-400-100)
Nomad® NOW Scene Light: Single Activation (200-400-102)



NOMAD® PRIME
5,600 LUMENS

Best spotlight with built-in tripod legs

FEATURES

- ❖ Spotlight and area light all in one
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8 ft (2.4 m)
- ❖ Weighs 18.4 lbs (8.3 kg)
- ❖ Red Diffuser Lens included

Nomad® Prime (200-800)



NOMAD® 360
8,800 LUMENS

Best self-contained 360° scene light

FEATURES

- ❖ Spotlight, area light, and 360° scene light all in one
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8.5 ft (2.6 m)
- ❖ Weighs 24.4 lbs (11.1 kg)
- ❖ Color Bands included

Nomad® 360 (200-900)



NOMAD® TRANSFORMER®
16,000 LUMENS

Most powerful scene light with modular Power Pack

FEATURES

- ❖ Modular design
- ❖ Rechargeable Li-Ion Power Pack, can be swapped out for continuous power
- ❖ Fully deploys to 12.9 ft (3.9 m)
- ❖ 3.3 ft (1.0 m) extension pole available
- ❖ Weighs 53.5 lbs (24.3 kg)

Nomad® Transformer (200-1200)



Nomad® Color Accessories

Color Accessories can be used to help mark key locations and identify places of significance such as parking areas, entrances and exits, command posts, staging zones, or triage areas.

COLOR BANDS

FEATURES

- ❖ For use on Nomad® 360 (included), T32, and T56
- ❖ Set includes five silicone bands: Red, Orange, Yellow, Green, and Blue
- ❖ Lightweight, flexible, and durable



Color Bands (85-070)

DIFFUSER CAP & COLOR BANDS

FEATURES

- ❖ For use on Nomad® Prime and P56
- ❖ Set includes one diffuser cap and five silicone bands: Red, Orange, Yellow, Green, and Blue
- ❖ Bands store inside the cap when not in use
- ❖ Lightweight, flexible, and durable



Diffuser Cap & Color Bands (85-080)

DIFFUSER LENS

FEATURES

- ❖ For use on Nomad® Prime and P56
- ❖ Available in red (included with Prime) and amber



Diffuser Lens in Red (85-050)
Diffuser Lens in Amber (85-052)



PRODUCTION LIGHTS



CORDLESS • 95 CRI • WATERPROOF



NOMAD® P56



NOMAD® N32 & N56
2,400 & 2,700 LUMENS

Most compact & versatile production light

FEATURES

- ❖ Color Temperature: 3200K or 5600K
- ❖ Mounts to magnet (included) and tripod
- ❖ Remote activation (included)
- ❖ Rechargeable Li-Ion Battery System
- ❖ 8.7 in (221 mm) tall and 4.5 lbs (2 kg)

Nomad® N56 Production Light (200-4N56)
Nomad® N32 Production Light (200-4N32)



NOMAD® P56
4,100 LUMENS

Most focused production light with built-in tripod legs

FEATURES

- ❖ Color Temperature: 5600K
- ❖ Diffuser Lens included
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8 ft (2.4 m)
- ❖ Weighs 19 lbs (8.6 kg)

Nomad® P56 Production Light (200-8P56)



NOMAD® T32 & T56
7,000 & 8,200 LUMENS

Best self-contained 360° production light

FEATURES

- ❖ Color Temperature: 3200K or 5600K
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8.5 ft (2.6 m)
- ❖ Weighs 24.4 lbs (11.1 kg)

Nomad® T56 Production Light, 5600K (200-9T56)
Nomad® T32 Production Light, 3200K (200-9T32)



TRIPO-SCOPE® M1

Compact tripod with built-in Tripo-Scope® legs for use with the Nomad® N56 & N32

FEATURES

- ❖ Use the included Puck Adaptor to mount accessories to a 1/4"-20 thread
- ❖ 3/8"-16 Threaded Stud allows mounting of professional grade accessories
- ❖ Fully deploys to 7.5 ft (2.3 m)

Tripo-Scope® M1 (650-100)

N32/N56



P56



T32/T56



| SPECIFICATION | N32 (200-4N32) | N56 (200-4N56) | P56 (200-8P56) | T32 (200-9T32) | T56 (200-9T56) |
|-----------------|-------------------|-------------------|--------------------|-----------------------|-----------------------|
| LUMENS (MAX) | 2,400 | 2,700 | 4,100 | 7,000 | 8,200 |
| BATTERY LIFE | 3 - 24 hours | | | | |
| CHARGE TIME | 4 hours | 4 hours | 5 hours | 7 hours | 7 hours |
| DEPLOYMENT TIME | Instant | Instant | 20 sec | 20 sec | 20 sec |
| HEIGHT (MAX) | 8.7 in (0.2 m) | 8.7 in (0.2 m) | 8 ft (2.4 m) | 8.5 ft (2.6 m) | 8.5 ft (2.6 m) |
| WEIGHT | 4.5 lbs (2 kg) | 4.5 lbs (2 kg) | 19 lbs (8.6 kg) | 24.4 lbs (11.1 kg) | 24.4 lbs (11.1 kg) |
| CRI | 95 | | | | |
| COLOR TEMP | 3200K | 5600K | | 3200K | 5600K |




HEADLAMPS & HELMET LIGHTS



FIRE RESISTANT • WATERPROOF • PANORAMIC LIGHTING



 **COMMAND+ TILT**

TRUE TO LIFE™ LEDs: SEE COLORS ACCURATELY



COMMAND TILT
65 LUMENS

Best suited for close-up tasks, inspections and general area illumination

FEATURES

- ❖ Rear safety LED
- ❖ Adjustable tilt: aim and adjust light
- ❖ Includes silicone and elastic strap
- ❖ Weight: 9.6 oz (272 g)
- ❖ (4) AA batteries | 7 - 28 hours

White LEDs (410-T09)




COMMAND+ TILT
100 LUMENS

Best suited for outdoor use including search & rescue and firefighting

FEATURES

- ❖ Rear safety LED
- ❖ Adjustable tilt: aim and adjust light
- ❖ Includes silicone and elastic strap
- ❖ Rechargeable option available
- ❖ Weight: 9.6 oz (272 g)
- ❖ (4) AA batteries | 5 - 14 hours

White LEDs (420-T09)
White & Green LEDs (420-T06)
White & Amber LEDs (420-T15)
White LEDs Rechargeable (420-T09R)



 **DISCOVER TILT**

PANORAMIC LIGHTING: SEE WIDER, SEE BETTER



DISCOVER TILT 300 LUMENS

Best suited for long distance tasks and general area illumination

FEATURES

- ❖ Rear safety LED
- ❖ Adjustable tilt: aim and adjust light
- ❖ Includes silicone and elastic strap
- ❖ Weight: 12 oz (340 g)
- ❖ (4) AA batteries | 5 - 12 hours

White LEDs (480-T09)



LO•PRO MODELS 65, 100, 200 LUMENS

Best suited for firefighter helmets with external face shield

FEATURES

- ❖ Rear safety LED
- ❖ Ultra slim design clears face shields on most U.S. style fire helmets
- ❖ Includes silicone strap
- ❖ (4) AA batteries | 3 - 28 hours
- ❖ Rechargeable option available

Command LoPro White LEDs (410-L06)
Command+ LoPro White & Green LEDs (420-L06)
Command+ LoPro White & Green LEDs Rechargeable (420-L06R)
Discover LoPro White LEDs (480-L06)



SIDESLIDE C-CLAMP

VERSATILE FLASHLIGHT & HELMET LIGHT



SIDESLIDE C-CLAMP 275 LUMENS

Flashlight or side-mounted helmet light

FEATURES

- ❖ Mounts to hardhat or firefighter helmet. Detaches for use as handheld flashlight
- ❖ Weight: 9 oz (225 g)
- ❖ (1) 18650 battery or (2) CR123 batteries | 3.5 - 8 hours

COMMAND & DISCOVER HEADLAMPS / HELMET LIGHTS

| LED COLOR | USE |
|---------------|-------------------------|
| White | Close-Up/Distance |
| White & Green | Structural Firefighting |
| White & Amber | Outdoor/Wildland Fire |

Glow in the dark silicone straps available
P/N 600-026

"MY TEAM WAS CUT OFF BY FIRE EXTENSION & MY FOXFURY HEADLAMP WAS THE ONLY LIGHT THAT CUT THROUGH THE SMOKE TO SHOW THE WAY TO THE LADDER FOR THEM TO GET DOWN."

-Jim B. | Fire Investigator

SideSlide C-Clamp Side Mounted Helmet Light: (940K-010FI)
SideSlide Picatinny C-Clamp Mount: (85-013)



RIGHT ANGLE & UTILITY LIGHTS



FIRE RESISTANT • WATERPROOF • IMPACT RESISTANT



 **BT2+**

120 FT (36 M) AWAY



BT2+ 700 LUMENS

Long distance search light

FEATURES

- ❖ Extra long distance beam - 5,600 ft (1,707 m)
- ❖ Rechargeable option available
- ❖ Available in black or orange/red
- ❖ Weight: 1.4 lbs (635 g)
- ❖ (4) AA batteries | 2 - 8 hours

Black (380-BT2P-BL)
Black Rechargeable (380-BT2P-BLR)
Orange (380-BT2P-OR)
Orange Rechargeable (380-BT2-ORR)



BTS 500 LUMENS

Low profile smoke cutting light

FEATURES

- ❖ SMO-KUT™ Smoke Cutting Technology
- ❖ Rechargeable option available
- ❖ Available in black or black/yellow
- ❖ Weight: 1.3 lbs (590 g)
- ❖ (4) AA batteries | 3 - 12 hours

Black (380-BTS-BL)
Black/Yellow (380-BTS-BY)



BTS



BT2-IS

200 LUMENS

Intrinsically safe search light

FEATURES

- ❖ Long distance beam - 3,000 ft (914 m)
- ❖ Hazardous Locations
UL913: Class I, Zone 0, AEx ia IIC
T5 IECEx: Ex ia IIC T5 Ga
- ❖ Weight: 1.5 lbs (680 g)
- ❖ (4) AA batteries | 3 - 12 hours

Black (380-FF01-BT2-BL)



BT RECHARGEABLE KIT

FEATURES

- ❖ Compatible with BT2+ and BTS
- ❖ Includes docking station, rechargeable battery pack, and charger
- ❖ Connect multiple units by snapping them together
- ❖ Charge time: 2.5 hours

P/N 600-380BT



 SCOUT









SCOUT

49 LUMENS (WHITE & RED LED MODELS)
65 LUMENS (WHITE LED MODELS)

Utility light with durable J-Clip

FEATURES

-  True to Life™ LED Technology
-  Wear on backpack, belt, pocket, MOLLE, and more
-  Available with white or white & red LEDs
-  Available in black or orange
-  Weight with Battery: 5.4 oz (153 g)
-  (3) AA batteries | 12 - 50 hours (white LED models)
or 12 - 60 hours (white and red LED models)

Black with White LEDs (301-010)
Black with White & Red LEDs (301-004)
Orange with White LEDs (302-010)
Orange with White & Red LEDs (302-004)



SHIELD LIGHTS



PHOTO CREDIT: SIOEN ARMOR

DURABLE • WATERPROOF • STROBE-CAPABLE

TAKER B30



BALLISTIC



TAKER B10 490 LUMENS

Most adaptive ballistic shield light for top & side-mounted use

FEATURES

- Attach multiple B10s on one shield for tactical advantage
- Turbo-Strobe™ Mode
- Retrofits most ballistic shields
- (2) CR123 batteries or (1) 18650 battery | 1.5 - 4 hours



TAKER B30 600 LUMENS

Our lowest profile, front-mounted, ballistic shield light

FEATURES

- Replaceable lens in case of damage
- Turbo-Strobe™ Mode
- Heavy duty braided cable
- Retrofits most ballistic shields
- (3) or (6) CR123 batteries | 5 - 8 hours





TAKER B50

2000 LUMENS

Our most powerful after-market ballistic shield light

FEATURES

- ❖ Includes square pressure switch
- ❖ Turbo-Strobe™ Mode
- ❖ Heavy duty braided cable
- ❖ Retrofits most ballistic shields
- ❖ (3) or (6) CR123 batteries | 5 - 8 hours



P/N 500-331-G



TAKER B70

1200 LUMENS

Best integrated light with handle for OEM shield manufacturers

FEATURES

- ❖ Ambidextrous light activation
- ❖ Turbo-Strobe™ Mode
- ❖ No visible cables or wires
- ❖ Single hand grip
- ❖ (3) or (6) CR123 batteries | 2 - 4 hours



P/N 480-600



RIOT



TAKER R40

650 LUMENS

Powerful LED light for riot shields

FEATURES

- ❖ Mounts to inside of the shield
- ❖ Quick Swap® Power Pack for recharging
- ❖ Turbo-Strobe™ Mode
- ❖ Retrofits most riot and capture shields
- ❖ Rechargeable battery | 1 - 1.75 hours


COMPARISON

| MODEL | DIMENSIONS (WxHxD) | LUMENS |
|-------|--|--------|
| B10 | 5.5 x 1.3 x 1.1 in (140 x 33 x 28 mm) | 490 |
| B30 | 3.9 x 0.9 x 1.9 in (100 x 23 x 50 mm) | 600 |
| B50 | 5.7 x 2.0 x 2.3 in (145 x 51 x 58 mm) | 2000 |
| B70 | 8.2 x 1.1 x 3.0 in (208 x 28 x 76 mm) | 1200 |
| R40 | 2.6 x 2.4 x 3.8 in (66 x 61 x 97 mm) | 650 |





RUGO™ 2 DRONE & CAMERA LIGHT



92 CRI • RECHARGEABLE • STROBE-CAPABLE



QUICK SWAP™ POWER PACK WITH STROBE




FEATURES

- ❖ Rechargeable Quick Swap® Power Pack with Strobe
- ❖ Tri-Lens Technology offers spot, area, or flood lighting
- ❖ Mountable to drones, cameras, light stands, and bicycles
- ❖ High CRI 5700K daylight balanced lighting
- ❖ IPX7: Submersible to 60 ft (18.3 m)


| LUMENS (MAX) | BATTERY LIFE | CHARGE TIME | WEIGHT |
|--------------|--------------|-------------|----------------|
| 620 | 1 - 6 hours | 2.5 hours | 5.6 oz (158 g) |



 **RUGO™** on DSLR camera


TRI-LENS™ TECHNOLOGY

Slide the Tri-Lens™ from left to right to switch between Flood, Area and Spot




FLOOD (120°)

Beam distance: 10 ft (3 m)
Used for: Close-up



AREA (55°)

Beam distance: 30 ft (10 m)
Used for: Mid-range



SPOT (25°)

Beam distance: 100 ft (30 m)
Used for: Distance

QUICK SWAP® POWER PACK WITH STROBE



FEATURES

- ❖ Meets FAA 107.29 night flight UAV requirements
- ❖ Rechargeable via USB adaptor
- ❖ 4 modes (low, medium, high, strobe)
- ❖ 2.6 oz (73 g)
- ❖ Available as separate accessory

Quick Swap® Power Pack with Strobe (N50-220)




MULTIPLE MOUNTING OPTIONS



1/4"-20 MOUNT AND COLD-SHOE

mounts to most DSLR cameras
and light stands



STANDARD MOUNT

mounts to most action cams

DRONE MOUNTS



FOR DJI PHANTOM 4 AND PHANTOM 4 PRO SET OF 2

Drone Mounts for DJI Phantom 4 (85-027)



FOR YUNEEC H520, TYPHOON H, AND H PLUS SET OF 2

Drone Mounts for Yuneec H520 and Typhoon H
(85-023)



FOR DJI INSPIRE AND MATRICE SOLD INDIVIDUALLY

25mm Mount for DJI Matrice (85-041)
30mm Mount for DJI Matrice (85-043)



D10, D3060, D100 DRONE LIGHTS




PHOTO COURTESY OF PAUL ROSSI

DURABLE • WATERPROOF • STROBE-CAPABLE



D10

D10 FULL POWER & STROBE MODES - 200



FEATURES

- ❖ Made in the USA
- ❖ 200 Lumens
- ❖ Self contained LiPo battery
- ❖ Up to 40 minutes of continuous use
- ❖ Full power and strobe modes
- ❖ Meets FAA & Global Night Flight Requirements

Available in IR version (P/N 700-318)



PARROT ANAFI LIGHTING SYSTEMS

| D10 PARROT ANAFI THERMAL LIGHTING SYSTEM | D10 PARROT ANAFI USA LIGHTING SYSTEM |
|---|---|
| Modes: High, Strobe | Modes: High, Strobe |
| Lumens: 200 | Lumens: 200 |
| White LEDs ANAFI / ANAFI Thermal | White LEDs / ANAFI Made in the USA |
| 700-314 | 700-315 |

| D10 PARROT ANAFI THERMAL INFRARED LIGHTING SYSTEM | D10 PARROT ANAFI USA INFRARED LIGHTING SYSTEM |
|--|--|
| Modes: High, Strobe | Modes: High, Strobe |
| Lumens: 200 | Lumens: 200 |
| IR LEDs ANAFI / ANAFI Thermal | White LEDs / ANAFI Made in the USA |
| 700-316 | 700-317 |



D3060

D3060 DRONE LIGHTS



| D3060 |
|--------------------------|
| High, Low, Strobe |
| 60-200 Lumens |
| Utility, Search & Rescue |
| 700-310 |

| D3060 IR |
|---------------------------------|
| High, Low, Strobe |
| 60-200 Lumens |
| Drone, Search & Rescue, Utility |
| 700-319 |

| D3060 TC |
|---------------------------------|
| High, Low, Strobe |
| 60-200 Lumens |
| Drone, Search & Rescue, Utility |
| D3060-TC |





 D100 & EXOLANDER®

D100 DRONE SEARCH/SPOTLIGHT

P/N 700-340



The D100 drone search/spotlight provides public safety users 2300 lumens of focused lighting.

Designed for the Autel EVO II, the D100 weighs 346 grams, has a 70-minute battery life, and is water-resistant. The directed, 18-degree focused beam provides brilliant white light, designed for illumination in areas otherwise challenged to light.

FEATURES

- ❖ Made in the USA
- ❖ 2,300 Lumens
- ❖ OSRAM LED Lighting
- ❖ Up to 70 minutes of continuous use
- ❖ 5,700K, 70 CRI
- ❖ 346 g (12.2 oz) with batteries
- ❖ 60 ft (18.1 m) diameter spot at 200 ft (60 m)
- ❖ Water Resistant
- ❖ Impact Resistant

EXOLANDER®

P/N 93-103



The TacSwan EXOLANDER® apparatus securely supports the D100 drone light for maintaining proper CG (Center of Gravity) on the Autel EVO II.

The EXOLANDER® has 10 hard points for various accessories, and may be attached/removed from the Autel EVO II aircraft without tools.

FEATURES

- ❖ Made in the USA
- ❖ 31 g (1.1 oz)
- ❖ 6.7" x 6.5" x 4.72" (170 x 165 x 120 mm)
- ❖ 4 Landing Pods with Individual Shock Absorption
- ❖ Eliminates Need for Leg Extension
- ❖ Impact Resistant

PAYLOAD DELIVERY SYSTEM®

P/N 640-100



The TacSwan Payload Delivery System® enables public safety users to drop radios, tourniquets, space blankets, water bottles, first-aid kits, or other small assistive devices in situations where rescuers cannot reach or clearly communicate with a victim.

The lightweight system is also designed to carry safety lines to stranded or drowning swimmers and has been tested, pulling over 400' (120 m) of 550 paracord (not included) to a swimmer in the ocean. The Payload Delivery System is designed to work with the Autel EVO II aircraft with mounting capabilities through the TacSwan EXOLANDER®.

FEATURES

- ❖ Made in the USA
- ❖ 215 g (7.6 oz)
- ❖ Paracord Option for Beach Rescue
- ❖ Transports Up to 1 lb (16 oz)
- ❖ Includes: Handle/Cord Reel with 550 Paracord 20 ft (6m), 1/4 x 1 1/2 QR Pin with Ring, Payload Delivery Unit with Cross Bar, and Delivery Bag

Required Mount: Autel EVO II Mount (P/N 85-033)



FOXFURY[®]
LIGHTING SOLUTIONS

FOXFURY.COM
760-945-4231
SALES@FOXFURY.COM

DISTRIBUTED BY:

FOXFURY.COM
3528 SEAGATE WAY, SUITE 100
OCEANSIDE, CA | USA

@FOXFURYLED

